

[[NAME OF DOCUMENT] SPECIFICATION

[TITLE OF THE INVENTION]] METHOD AND SYSTEM FOR

ACCEPTING [COMISSION] COMMISSIONED PRODUCTION OF DNA  
CHIPS

5        [[Field of the Invention]]

The present invention relates to a device [for]  
capable of receiving orders [for] that relate to  
producing DNA microarray chips [(microarrays),] and [for]  
analyzing genes [by] using the DNA chips.

10        [[Background Art]] Background of the Invention

Japanese application patent laid-open publication No.  
2000-279169 describes a method and a device for  
separating target polynucleotides. This publication  
specifically describes the method for separating  
15 polynucleotides comprising steps of immobilizing single-  
stranded oligonucleotide probes including a specific base  
sequence individually in multiple areas on a surface of a  
substrate, supplying specimen solution including  
polynucleotides on the substrate, bonding individual  
20 polynucleotides having complementarity with the  
individual probes by cooling the specimen solution after  
heating it to a predetermined temperature, replacing the  
solution on the substrate from the specimen solution with  
solution not including the polynucleotides, and  
25 increasing temperature of the surface of the substrate in  
one area of the multiple separate areas on the substrate  
to dissociate and recover only the polynucleotides  
[complementally] complementarily connected with the probe

immobilized to the area.

Japanese application patent laid-open publication No. 2000-295990 describes a method for immobilizing DNA pieces where solution produced by [solving] dissolving or  
5 diffusing DNA [pieces] fragments and hydrophilic polymer in a [water-base] water-based medium is attached as a point on a surface of a solid phase carrier to bond the DNA [pieces] fragments on the surface of the carrier.

Japanese application patent laid-open publication No. 2000-210082 describes a method for immobilizing target  
10 DNA.

[[Invention Disclosure]] Summary of the Invention

A purpose of the present invention is to provide a method and a system for accepting orders of [commission]  
15 commissioned production of DNA chips, [when] which allows for the efficient and quick preparation of a production plan.

[Also a] Another purpose of the present invention is to provide a method of accepting orders of DNA chip  
20 production, efficiently making a production plan [efficiently], and informing a requester of experiment protocol, price and delivery date quickly so that the requester can effectively make their experiment schedule [effectively].

25 The experiment [here] includes an inspection and a test using DNA chips.

The order receiving system for DNA chips of the present invention is provided with a memory device

[storing] to store the content of at least one order[,]  
and the production cost and [the] control conditions for  
at least one type of DNA chip, such as information  
relating to experiment conditions including at least a  
5 temperature condition, and a processing device for  
calculating prices of individual orders by referring to  
the content of the orders and the production prices for  
the DNA chips.

[This] In the memory device, the system may [also]  
10 store information on production management and inventory  
in addition to the production prices of the DNA chips [in  
the memory device], and may calculate the delivery date  
while considering the information.

This system receives the contents of [received]  
15 orders for the DNA chips from customers at any time, and  
calculates prices of the individual orders by comparing  
the contents of the orders with the cost information.  
Also, the system calculates delivery dates by comparing  
the contents of the orders with an inventory status and a  
20 production schedule. With these calculations, a customer  
can immediately make a decision on the order[,]  
and prepare a plan for experiments. [Also the] The customer  
can also immediately prepare a [plan for] production  
plan[,] and start the production at a proper time.

25 Preferably the processing system communicates with a  
production control system and an inventory control system  
at any time or [periodically] on a periodic basis to  
automatically update production control information and

inventory control information, respectively. This allows [calculating] price calculation for an order and also a delivery date based on the latest production control information and [the] inventory information[,].

5       The system can also store production prices and methods for optimizing [experiment] experimental conditions for many types of DNA chips in the memory device, and can [calculates] calculate delivery dates in addition to prices required for production and analysis.

10       As an output method for the prices and the delivery dates, a browser immediately notifies customers of [them] these items through the Internet.

As an example of the output form for the applied experiment conditions, a method for displaying optimized positions of nucleic acid probes mapped on a screen for indicating a DNA chip can be adopted. With this form, a customer can easily know the arrangement of the nucleic acid probes.

15       A customer can know the status of a received order in addition to the price and the delivery date at any time.

20       When a customer asks for only [production by commission] the custom-made DNA chips, and conducts an experiment by [himself] themselves, the customer can install an optimized experiment protocol through media  
25       such as different types of storages, semiconductor memories, and communication lines.

The system of the present invention is typically realized by a computer on the Internet, and programs

including plug-ins for that purpose are installed through media such as different types of storages, semiconductor memories, and communication lines.

#### [[]BRIEF DESCRIPTION OF THE DRAWINGS[]]

5        Fig. 1 is [an overview schematic] a schematic overview of an order receiving system for DNA chips[.];

      Fig. 2 is a flowchart for placing and receiving an order[.];

      Fig. 3 is a screen shot for selecting probe type[.];

10       Fig. 4 is a screen shot for entering probe information [on probes.];

      Fig. 5 is a screen shot for confirming entered probe information on probes[.];

15       Fig. 6 is a screen shot for selecting an analysis by commission[.];

      Fig. 7 is a screen shot for entering a sample shipment date [of shipping a sample.];

      Fig. 8 is first a screen for confirming an experiment protocol[ (1).];

20       Fig. 9 is second a screen for confirming an experiment protocol[ (2).];

      Fig. 10 is a third screen for confirming an experiment protocol[ (3).];

25       Fig. 11 is a screen for downloading an experiment protocol[.];

      Fig. 12 is a screen for confirming an order content[.];

      Fig. 13 is a screen for [showing] displaying price

and delivery date[.];

Fig. 14 is a screen for showing completion[.];

Fig. 15 [is a figure showing a] shows the  
constitution of a system for receiving orders for DNA  
5 chips[.];

Fig. 16 [is a figure showing a] shows the content of  
a production schedule information file[.];

Fig. 17 [is a figure showing a] shows the content of  
a DNA chip information file[.];

10 Fig. 18 is a display screen for an experiment  
protocol[.];

Fig. 19 is a display [screed] screen for an  
experiment protocol[.];

Fig. 20 [is a figure showing a] shows the content of  
15 an inventory information file[.];

Fig. 21 is a figure showing a content of an order  
information file.

Fig. 22 is a figure showing a content of a probe  
arrangement information file.

20 Fig. 23 is a figure showing a content of an  
optimization information file.

Fig. 24 is a figure showing a content of an image  
information file.

Fig. 25 is a flowchart for registering production  
25 schedule information.

Fig. 26 is a flowchart for registering inventory  
information.

Fig. 27 is a flowchart for registering chip

information.

Fig. 28 is a flowchart for registering optimization information.

Fig. 29 is a flowchart for registering order  
5 information.

Fig. 30 is a flowchart for referring to an experiment protocol.

Fig. 31 is a figure indicating a screen showing a probe arrangement.

10 Fig. 32 is a figure indicating a screen showing experiment control conditions.

Fig. 33 is a figure indicating a screen showing a DNA chip.

15 Fig. 34 is a figure indicating a screen showing an experiment protocol.

Fig. 35 is a flowchart for referring to a price.

Fig. 36 is a flowchart for referring to a delivery date.

[Description of the Best Embodiment]

20 The following describes embodiments of the present invention based on figures.

Fig.1 shows an overall system constitution for an order receiving system for DNA chips relating to one embodiment of the present invention for realizing an  
25 order receiving system described below. In this figure, an order placing system 70 for a customer 7 is connected with a DNA chip order receiving system 1 of a DNA chip manufacturer 8 through the Internet 100. The DNA chip

order receiving system 1 is connected with a production control system 3, an inventory control system 6, and other systems owned by the DNA chip manufacturer 8. With this constitution, an order receiving method and a  
 5 manufacture meeting needs of customers are realized as described later.

Fig. 2 is a flowchart for indicating order receiving steps accompanying placing an order.

A customer (party asking for [commission]  
 10 commissioned DNA chips) places an order for DNA chips. The customer uses an input device of the order placing system 70 to select the type of a DNA chip to be ordered, and enters the type and the set number through a communication network on the Internet 100 (S1). A screen  
 15 shown in Fig. 3 is a screen used as an entrance (screen for selecting probe type), and the type is selected from Type A, Type B and Type C in the present embodiment. The Type A, the Type B, and the Type C mean a type for a company A, a type for a company B, and a type for a  
 20 company C, for example. It is not necessary to limit the type selection to three types. Also a question, "How many sets do you order?", is shown to display and enter the number of sets[; then]. Once the customer enters the information, they press [an] the enter button. Then,  
 25 property data for the probes are entered (S2).

A screen shown in Fig. 4 is a screen used for the entry (Probe Information Entry Screen). Information on the probes (nucleic acid probes) used for the DNA chip,



such as Probe ID, Provider, the number of bases, T<sub>m</sub> (melting temperature) value, Base sequence, and other information, is entered, and Enter is clicked. The entered information is confirmed (Complete entry/confirm) (S3). The screen shown in Fig. 5 is a screen used for this step (Probe Information Entry Confirmation Screen). The input is confirmed to be correct on this screen, the arrangement of the probes is set, a screen for indicating the probe property data comprising the probes and the probe arrangement is shown on a screen, and the production order is received (S4).

This provides an order receiving method for producing DNA chips by immobilizing nucleic acid probes including a specific base sequence in individual independent areas on a surface of a substrate. Specifically, this is a method for receiving orders for producing DNA chips comprising steps of receiving types and the number of sets of DNA chips through a communication network, setting an arrangement of nucleic acid probes in the individual areas, displaying a figure indicating the nucleic acid probes and the property data of the probe positions of the individual nucleic acid probes on screen, sending the display screen through the communication network to ask for confirmation, and receiving the order for production based on the display screen confirmed through the communication network.

Also, a method for receiving an order for producing DNA chips comprising steps of receiving types and the

number of sets of the DNA chips through the communication network, setting an arrangement of the nucleic acid probes in the individual areas, displaying a figure indicating the nucleic acid probes and the control  
5 conditions of individual probe positions of the individual nucleic acid probes on screen, sending the display screen through the communication network to ask for confirmation, and receiving the order for production and analysis based on the display screen confirmed  
10 through the communication network is provided.

In this case, it may be possible to provide a price calculated by referring to price information and the like from a memory device for storing cost information on producing DNA chips.

15 Then, it is determined if an analysis is committed (S5).

The screen shown in Fig. 6 is a screen presented in this processing (Analysis Commission Selection Screen). The screen asks if an analysis using the produced DNA  
20 chips is committed. The result of the selection is transmitted. A date until when a customer submits the sample is entered.

The screen shown in Fig. 7 is a screen presented in this processing (screen for entering a date of shipping a  
25 sample).

Experiment protocol is confirmed (Sample Submission Date Entry Screen) (S7). Fig. 8, Fig. 9, and Fig. 10 are screens shown in this processing. Fig. 8 shows

Experiment Protocol Confirmation Screen 1, the screen is used for optimizing reaction conditions (setting the reaction conditions), and control (control conditions) methods for the reaction conditions for the sample and the individual probes are set as in the figure. As a typical control condition, a temperature control condition is set for the individual probes as in the figure.

With this, orders for DNA chip production from customers are accepted, an arrangement of individual nucleic acid probes are optimized for the genetic analysis using DNA chips at least requiring the temperature control according to  $T_m$  values of the nucleic acid probes, and a dispersion of temperature in a chip, the number of steps for the temperature control, and control periods are set.

Fig. 9 shows Experiment Protocol Confirmation Screen 2, the screen is used for arrangement setting for optimizing the arrangement of the probes in the individual areas on the chip based on the reaction control conditions and the number and the properties of the probes. Also how many sheets of the chips are divided into, for example number "A" of sheets is displayed. This screen indicates the individual areas in X coordinate and Y coordinate, and shows the probe arrangement.

Fig. 10 shows Experiment Protocol Confirmation Screen 3, and the screen shows the temperature conditions for

the specified individual probe arrangement, and is used for confirmation.

The experiment protocol is downloaded as needed (S8).

5 The screen shown in Fig. 11 is a screen presented in this processing (Experiment Protocol Download Screen), and the download is entered if necessary.

The content of the order is confirmed (S9).

10 The screen shown in Fig. 12 is a screen presented in this processing (Order Content Confirm Screen). The type of chips, the required number of sets of chip, the number of probes requested to synthesize by commission, the number of probes the customer provides, and the existence of analysis by commission are confirmed on this screen. The price or the price and the delivery date is confirmed  
15 (S10).

The screen shown in Fig. 13 is a screen presented in this processing (Price/Delivery Date Display Screen), which shows the number of orders, the delivery date, and the price, asks if to place the order. The result is  
20 entered.

With this process, the order for the production and the analysis is accepted (S11). In this case, when an order for the production and the analysis indicated in S11 is [accepteded] accepted in addition to the order for  
25 the production indicated in S4, the step of S4 may be bypassed.

A final confirmation is made (S12). The screen shown in Fig. 14 is a screen presented in this processing

(Completion Display Screen), and shows the completion display.

As described above, a device is constituted for  
[accepting] accepted orders for producing DNA chip from  
5 customers, determining an arrangement of the probes in a  
chip described in the order information file, and a  
dispersion of temperature in chips, registering the  
arrangement and the control conditions for the individual  
probe positions in the probe information file and an  
10 image information file for genetic analysis using DNA  
chips at least requiring the temperature control  
according to  $T_m$  values of the nucleic acid probes, and  
showing a screen by mapping a figure indicating the probe  
arrangement and the control conditions on the individual  
15 probe positions on an image indicating the chip from the  
latest image information file.

As indicated in Fig. 1, there is the DNA chip order  
accepting system 1 as a center of this system as  
described before, and other systems 25 (such as the  
20 production control system and the inventory control  
system), the order placing system for customer 70  
(customer terminal), and the like are connected.

The DNA chip order receiving system calculates the  
price required for producing and analyzing DNA chips, and  
25 the delivery date based on the inventory control system,  
the customer system and the like, and notify the customer  
of them. A DNA chip order receiving center controls  
different types of information (overall information on

DNA chips, information on production cost, production control information, inventory information, customer order information, and optimization parameter information for experiment conditions) entered by a system administrator, a production administrator, and an inventory administrator.

The production control system sends information relating to the production and the schedule of the DNA chip to the DNA chip order receiving system periodically or at any time. The inventory control system sends information on materials required for producing DNA chips to the DNA chip order receiving system periodically or at any time.

Individual customers notify the DNA chip order receiving system from individual systems through communication lines.

The order receiving system administrator enters information on DNA chips, information on optimization of experiment conditions (at least temperature conditions) using types of DNA chips that are ordered, and information on the arrangement of the nucleic acid probes as required to make addition and modification.

The following section describes the DNA chip order receiving center in detail.

Fig. 15 shows processing features and file processing offered by the DNA chip order receiving center.

Fig. 16 to Fig. 22 show contents of individual files.

In Fig. 15, the DNA chip order receiving center 9

includes a production schedule information file 11, a DNA chip information file 13, an inventory information file 15, an order information file 17, an optimization information file 19, a probe arrangement information file 21, and an image information file 23.

The production schedule information file 11 records schedules for individual production lines and the like as shown in Fig. 16.

The DNA chip information file 13 records licensors of the individual types of chips, conditions to be controlled, methods for immobilizing probes, image data, lines used for production, prices per hour, cost and price per sheet of chips, methods for calculating the price, sets of available ready-made probes and the like as shown in Fig. 17. As the set of available ready-made probes, a set of cDNA pieces derived from human genes relating to cancer, a set of cDNA pieces derived from human genes relating to apoptosis, and  $\Lambda$  phage DNA pieces are possible.

The DNA chip information file is produced by arranging the probes in a descending order with respect to a certain control condition (such as temperature), or produced additionally providing the individual probes with another condition (such as voltage). Fig. 19 shows rows of diffusion probes on a DNA chip produced by arranging the probes with temperature as a preferred condition. As shown in Fig. 19, individual areas presented on the Experiment Protocol Display Screen are

arranged in descending order with respect to a control condition, temperature in this case.

[Fig.] Figure 18 shows an example of a DNA chip where one [used such that a] part [of it is] ready-made and the [rest] remaining part [of it] is left [as order-made] to be made according to an order. As shown in Fig. 18, the individual area shown on the Experiment Protocol Display Screen comprises [an] a fixed set part (ready-made part) on the upper side[,] and an order-made part on  
10 the lower side.

The inventory control information file 15 records lot numbers for materials used for producing DNA chips, stock amounts, expiration dates, unit prices, and the like as shown in Fig. 20.

15 The order information file 17 records customer names, chip types, number of sets, number of sheets per set (number of probes, which are divided into two or more sheets according to the optimization condition), [existences] indication of whether analysis [by  
20 commission] is commissioned, order [statuses] status, prices, delivery dates, and probes to be used as shown in Fig. 21.

The probe arrangement information file 21 records probe names arranged at individual coordinate positions  
25 on a chip and the like as shown in Fig. 22.

The optimization information file 19 records information on optimization methods (arrangement methods) for the probe arrangement under the individual control



conditions as shown in Fig. 23.

The image information file 23 records image numbers, image data, and the like as shown in Fig. 24.

The DNA chip order receiving system includes  
5 production schedule registration, chip information  
registration, inventory information registration, order  
information registration, optimizing information  
registration, experiment protocol reference, price  
reference, and delivery date reference.

10 The production schedule registration includes a  
process that receives different types of information  
relating to a production schedule sent from the  
production control system, and registers it to relating  
files (such as the production schedule information file)  
15 as the latest information, and a process that is invoked  
from a terminal provided for the system and registers  
different information relating to the production schedule  
to the production schedule information file as the latest  
information.

20 The chip information registration includes a process  
that receives different types of information relating to  
the DNA chip sent from the administrator of the DNA chip  
order receiving system, and registers it to relating  
files (such as the chip information file) as the latest  
25 information, and a process that is invoked from a  
terminal provided for the system and registers different  
information relating to the DNA chip to the chip  
information file as the latest information.

The inventory information registration includes a process that receives different types of information relating to the inventory control sent from the inventory control system, and registers it to relating files (such as the inventory information file) as the latest information, and a process that is invoked from a terminal provided for the system and registers different information relating to the production schedule to the inventory information file as the latest information.

10 The order information registration includes a process that receives different types of information relating to an order sent from a customer, and registers it to relating files (such as the order information file) as the latest information, and a process that is invoked from a terminal provided for the system and registers different information relating to an order into the order information file as the latest information.

20 The optimization information registration includes a process that receives different types of information relating to the optimization for probe arrangement used for a DNA chip sent from the administrator of the DNA chip order receiving system, and registers it to relating files (such as the optimization information file) as the latest information, and a process that is invoked from a terminal provided for the system and registers different information relating to the optimization for arrangement of probes produced by commission to the optimization information file as the latest information.

The experiment protocol reference includes a process that reads in the order information file and the optimization information file, determines an arrangement of the probes in a chip described in the order information file according to the methods described in the optimization information file, and [register] register the arrangement and the control conditions for individual probe positions to the probe information file and the image information file, and executes a process that maps a figure indicating the probe arrangement and the control conditions for the individual probe positions on an image indicating the chip from the latest image information file for showing it on a customer terminal.

As a method for determining an optimal probe arrangement, for example, there is a method where the information on the individual probes is sorted with the  $T_m$  value of the probes as key, and the probes are assigned in the ascending or descending order to coordinate numbers starting from the smallest value on a chip[,].

The price reference includes a process that reads in the chip information file, the inventory information file, the order information file, and the optimization information file, calculates a price, and shows it on a customer terminal, and the process that updates the order information file with the price.

As a method for determining the price, for example, there is a method [where assigning] which assigns a

higher price on an experiment with more difficult control conditions.

The delivery date reference includes a process that reads in the production schedule information file, the  
5 inventory information file, and the order information file, calculates the delivery date, and shows it on a customer terminal, and a process that updates the order information file with the delivery date.

[Fig.] Figure 25 shows a flow of the production  
10 schedule information registration. In this process, the production schedule information is entered through the production control system, and the production schedule information file is updated with the information.

[Fig.] Figure 26 shows a flow of the inventory  
15 information registration. In this process, the inventory information is entered through the inventory control system, and the inventory information file is updated with the information.

[Fig.] Figure 27 shows a flow of the chip information  
20 registration. In this process, the chip information is obtained, and the information on chips is updated with the information.

[Fig.] Figure 28 shows a flow of the optimization  
25 information registration. In this process, the system administrator enters information relating to the experiment optimization conditions, and the optimization file is updated with the information.

[Fig.] Figure 29 shows a flow of the order

information registration. In this process, the customer enters an order, and the order information file is updated with the information.

[Fig.] Figure 30 shows a flow of the experiment  
5 protocol reference. In this process, the order  
information file and the optimization information file  
are read in, and the arrangement of the probes is  
optimized. The probe information arrangement information  
file and the image information file are updated with the  
10 arrangement.

[Fig.] Figure 31 is an example of the image  
information showing an arrangement of the probes, and  
Fig. 32 is an example of an image showing control  
conditions for the individual probe positions. Further,  
15 the latest information is mapped from the image  
information file to the image information for the DNA  
chip.

[Fig.] Figure 33 is an example of image information  
of a DNA chip, and Fig. 34 is an example of the image  
20 display for the information[,].

[Fig.] Figure 35 shows a flow of the price reference.  
In this process, the chip information file, the inventory  
information file, the order information file, and the  
optimization information file are read in, a price for  
25 production or a price for order reception and a price for  
degree of difficulty of the experiment control are  
calculated, and the prices are displayed. After a  
customer confirms them, the order information file is

updated with the prices.

[Fig.] Figure 36 shows a flow of the delivery date reference. In this process, the production schedule information file, the inventory information file, and the order information file are read in, and the delivery date is calculated from the production schedule and the like, and is displayed. After a customer confirms it, the order information file is updated with the delivery date.

With the embodiment described above, an order for a DNA chip is accepted efficiently and quickly, and a customer is informed of the price and the delivery date. A researcher studying in the [filed] field of [gene with] genetics using DNA chips can increase the efficiency of their research by using the system. In some cases, a dealer of DNA chips may commit chip production] produce commissioned chips.

The constitution described above provides an order accepting method for producing DNA chips where a DNA chip is produced by immobilizing nucleic acid probes having specific base sequences in individual independent areas on a surface of a substrate, the type and the set number of the DNA chip are received as an order through a communication network, an arrangement of the nucleic acid probes in the individual areas is set, temperatures in the individual areas and temperature control conditions are shown on a screen, the screen is sent through the communication network for confirmation, and the production and analysis is ordered based on the content

of the confirmed screen display through the communication network.

An order accepting method for producing DNA chips where the arrangement of the nucleic acid probes in individual areas is set based on a tendency of reducing dispersion of temperatures in the individual areas is provided.

An order accepting method for producing DNA chips where the experiment protocol display screen is constituted by composing an experiment control condition display screen with an nucleic acid probe arrangement screen is provided.

An order accepting method for producing DNA chips where the price is calculated while referring to a probe information file, an inventory information file, an order information file, and a file for setting information on the nucleic acid probes is provided.

An order accepting system for producing DNA chips that immobilizes nucleic acid probes having specific base sequences in individual independent areas on a surface of a substrate to produce DNA chips, and comprises an order receiving device for receiving the type and the set number of a DNA chip through a communication network, an arrangement setting device for setting the arrangement of the nucleic acid probes in the individual areas, a screen device for displaying the probe arrangement and the probe properties in the individual areas, and a production order accepting device for sending confirmation

information using a screen through the communication network, and accepting an order for production based on the content of a confirmed screen display through the communication network is provided.

5       An order accepting system for producing DNA chips that immobilizes nucleic acid probes having specific base sequences in individual independent areas on a surface of a substrate to produce DNA chips, and comprises an order receiving device for receiving the type and the set  
10       number of a DNA chip through a communication network, an arrangement setting device for setting the arrangement of the nucleic acid probes in the individual areas, a screen device for displaying the probe arrangement and control conditions for the individual nucleic acid probe  
15       positions, and a production/analysis order accepting device for sending confirmation information using a display screen through the communication network, and accepting an order for production and analysis based on the content of a confirmed screen display through the  
20       communication network is provided.

      An order accepting system for producing DNA chips that is required to control temperature according to the melting temperature ( $T_m$ ) value of nucleic acid probes, and comprises an arrangement setting device for setting  
25       an arrangement of the nucleic acid probes recorded on an order information file in individual areas in a chip, a register processing device for registering the arrangement of the nucleic acid probes in the individual



areas, and control conditions for individual probe positions to an image information file, an image display device for mapping a drawing indicating the probe arrangement and the control conditions at the individual probe positions on the individual areas on a screen indicating a DNA chip, and a production/analysis order accepting device for sending confirmation information using a display screen through a communication network, and accepting an order for production and analysis based on the content of a confirmed screen display through the communication network is provided.

An order accepting system for producing DNA chips provided with a price calculation processing device for calculating prices while referring to a probe information file for recording an arrangement of nucleic acid probes in individual areas, and control conditions for individual probe positions, an inventory information file, and an order information file is provided.

An order accepting system for producing DNA chips that is provided with a delivery date calculating device, which compares a content of an order, an inventory status and a production schedule with one another to calculate the delivery date, and displays a calculated delivery date on a screen display device is provided.

The present embodiment is an example of the present invention, and it is not intended to limit the extent of the present invention to this embodiment. For example, there are many variations in the experiment control

conditions used for optimizing the probe arrangement, the method for optimization under these conditions, the method for calculating the price, and the method for calculating the delivery date.